Safety Data Sheet

Issue Date: 24-Aug-2016 Revision Date: 26-Aug-2016 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Microlobal™ Nickel Fiber

Other means of identification

SDS # INTRA-001

Recommended use of the chemical and restrictions on use

Recommended Use The manufacture of substances, composites, and nonwovens.

Details of the supplier of the safety data sheet

Supplier Address IntraMicron, Inc. 368 Industry Dr. Auburn, AL 36832

Emergency Telephone Number

 Company Phone Number
 334-502-2973

 Emergency Telephone (24 hr)
 334-502-2973

2. HAZARDS IDENTIFICATION

Appearance Silver/gray solid Physical state Solid Odor Odorless

Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

Signal Word

Danger

Hazard statements

May cause an allergic skin reaction

May cause cancer

Causes demand to organic through prolonged or reposit

Causes damage to organs through prolonged or repeated exposure





Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Revision Date: 26-Aug-2016

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Nickel	7440-02-0	96-100
Iron	7439-89-6	0-4

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms May cause an allergic skin reaction. Causes damage to organs through prolonged or

repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing and eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this

Revision Date: 26-Aug-2016

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

Incompatible Materials acids, oxidizing agents, sulfur compounds, oxygen, fluorine, and ammonia

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nickel	TWA: 1.5 mg/m ³ inhalable	TWA: 1 mg/m ³	IDLH: 10 mg/m ³ IDLH: 10 mg/m ³
7440-02-0	fraction	(vacated) TWA: 1 mg/m ³	Ni
			TWA: 0.015 mg/m ³ TWA: 0.015
			mg/m³ except Nickel carbonyl Ni

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceSilver/gray solidOdorOdorlessColorsilver/grayOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined

Melting Point/Freezing Point 1453 °C / 2647 °F

Boiling Point/Boiling Range 2732 °C / 4950 °F

Flash Point Not determined

Evaporation Rate Not determined

Flammability (Solid, Gas) Non-flammable

Flammability Limits in Air

Upper Flammability Limits Not determined Lower Flammability Limit Not determined

Vapor Pressure 1 mmHg @1810°C (3290°F)

Vapor Density Not determined

Relative Density 8.9 g/cm3 @25°C (77°F)

Water Solubility Insoluble
Solubility in other solvents Not determined
Partition Coefficient Not determined

Auto-ignition Temperature Very finely divided metal in the fully

reduced state smolder in the presence

of oxygen or air

Decomposition TemperatureNot determinedKinematic ViscosityNot determinedDynamic ViscosityNot determinedExplosive PropertiesNot determinedOxidizing PropertiesNot an oxidizer

Other Information

Magnetic Properties Ferromagnetic

10. STABILITY AND REACTIVITY

Reactivity

Reacts with acids to form hydrogen, and under certain circumstances it can form NiCO gas which is toxic

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Incompatible materials.

-

Revision Date: 26-Aug-2016

Incompatible Materials

acids, oxidizing agents, sulfur compounds, oxygen, fluorine, and ammonia

Hazardous Decomposition Products

NiCO

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Not an expected route of exposure.

Ingestion Not an expected route of exposure.

Component Information

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Nickel 7440-02-0	> 9000 mg/kg (Rat)	-	-
Iron 7439-89-6	= 984 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel		Group 2B	Known	X
7440-02-0			Reasonably Anticipated	

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6,594.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Revision Date: 26-Aug-2016

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea	
Nickel	0.18: 72 h Pseudokirchneriella	1.3: 96 h Cyprinus carpio mg/L	1: 48 h Daphnia magna mg/L EC50	
7440-02-0	subcapitata mg/L EC50 0.174 -	LC50 semi-static 100: 96 h	Static 100: 48 h Daphnia magna	
	0.311: 96 h Pseudokirchneriella	Brachydanio rerio mg/L LC50 10.4:	: mg/L EC50	
	subcapitata mg/L EC50 static	96 h Cyprinus carpio mg/L LC50		
		static		
Iron		13.6: 96 h Morone saxatilis mg/L		
7439-89-6		LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nickel		Included in waste streams:		
7440-02-0		F006, F039		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Nickel	Toxic powder
7440-02-0	Ignitable powder

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Please contact manufacturer for most current information

IATA Please contact manufacturer for most current information

IMDG Please contact manufacturer for most current information

15. REGULATORY INFORMATION

Revision Date: 26-Aug-2016

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Nickel	Х	Х	Х		Х	Present	Х	Х
Iron	Х	Х	Х		Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Nickel	100 lb		RQ 100 lb final RQ
7440-02-0			RQ 45.4 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Nickel - 7440-02-0	7440-02-0	96-100	0.1

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nickel		X	X	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Nickel - 7440-02-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Nickel	X	X	X
7440-02-0			

16. OTHER INFORMATION

NFPA Health Hazards

Health Hazards
Not determined
Health Hazards
Not determined
Flammability
Not determined
Not determined

Instability
Not determined
Physical hazards
Not determined

Special Hazards
Not determined
Personal Protection
Not determined

Revision Date: 26-Aug-2016

Issue Date: 24-Aug-2016
Revision Date: 26-Aug-2016
Revision Note: New format

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet